

# OUTDOOR POWER EQUIPMENT













# M18 FLEL DRIVEN TO OUTPERFORM. \*\*TO OUTPERFORM.\*\*\*

MILWAUKEE® is committed to driving unrivaled performance and productivity to Outdoor Power Equipment professionals through groundbreaking developments in battery-powered technology, motors and electronics. From our roots in the MEP trades, and now with the landscape professional, we are dedicated to provide innovative, trade focused solutions with reduced emissions and less noise.



1 SECOND

TORQUE
FOR DEMANDING
MOWING APPLICATIONS







2 REDLINK PLUS™ INTELLIGENCE



3 REDLITHIUM™
BATTERY







M18







**PORTABLE PRODUCTIVITY.** TRADE FOCUSED. SYSTEM WIDE.





PERFORMANCE DRIVEN.
TRADE FOCUSED.
SYSTEM WIDE.







**RANGE ONLINE** 

SYSTEM 290 SOLUTIONS









### LEADING THE CHARGE

Focused on matching petrol equipment, MILWAUKEE® delivers the performance professionals users expect, while eliminating the environmental impacts associated with emissions, noise, vibrations and tool maintenance and the risk of spilling hazardous liquid.



### ZERO EMISSIONS.\* ZERO COMPROMISE.

ENSURING OUR USERS CAN WORK SAFELY, SUSTAINABLY, AND PRODUCTIVELY.

THE EU AIMS TO BE CLIMATE-NEUTRAL BY 2050\*\*





PETROL EQUIVALENT PERFORMANCE



LOW NOISE



NO PETROL OR EMISSIONS



LESS DOWNTIME



ENHANCE JOBSITE SAFETY



INCREASED PRODUCTIVITY

M18 F2LM46-0 | Article Number 4933492010 (Also available as a kit version)



### M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 46 CM

#### **FEATURES:**

■ 46 cm steel deck and blade design paired with M18 FUEL<sup>™</sup> technology deliver best-in-class quality of cut

- Compact deck design for more maneuverability in tight access areas
- 3-in-1 grass management system to mulch, 60 litre bag, or rear side discharge chute
- High Lift Mode allows to toggle between continuous outstanding peak power for best cut quality and automatic blade speed adjustment to the required power for more efficiency
- Adjustable self-propelled mechanism with 5 speed settings delivers up to 6.5 km/h cutting speed
- Active speed management paddle delivers ultimate user control
- Runs on 2 x 18V batteries for outstanding power and performance

Decksize (cm)	46
Blade speed (rpm)	3,800
Drive mechanism	Self propelled
Cutting height [mm]	25 - 100
Self-propelled speed (km/h)	0 - 6.5
Weight with battery pack (EPTA) (kg)	34.7 (2 x M18 HB8)



M18 F2LM53-0 | Article Number 4933479584 (Also available as a kit version)

### M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 53 CM

- 53 cm steel deck and blade design paired with M18 FUEL<sup>™</sup> technology deliver best-in-class quality of cut
- Instant start in tall grass, outstanding peak power and start up torque to complete demanding applications
- 3-in-1 grass management system to mulch, bag, or rear side discharge
- Automatic blade speed adjustment to the required power for more efficiency
- Adjustable self-propelled mechanism with 5 speed settings delivers up to 6.4 km/h cutting speed
- Active speed management paddle delivers ultimate user control
- Runs on 2 x 18V batteries for outstanding power and performance

Decksize (cm)	53
Blade speed (rpm)	3,300
Drive mechanism	Self propelled
Cutting height [mm]	25 - 100
Self-propelled speed (km/h)	0.16 - 6.4
Weight with battery pack (EPTA) (kg)	38.5 (2 x M18 HB12)





M18 FBCU-0 | Article Number 4933492297 (Also available as a kit version)


M18 FUEL

#### M18 FUEL™ BRUSH CUTTER

#### **FEATURES:**

- Powerful brush cutter designed to clear grass, weeds, thick brush and saplings up to 3 cm diameter
- Full throttle in under 1 second for instantaneous power and ultimate control
- Supplied with a trimmer head for a 35 40 cm cutting swath and a 23 cm blade featuring a 4-tooth design to take on more demanding applications
- Two speed modes allow the user to choose between maximum performance or extended run time
- Great ergonomics from the bike handle design and double shoulder harness allowing for more user comfort
- Optimised guard design for the best material containment
- Flexible battery system: works with all MILWAUKEE® M18<sup>TM</sup> batteries

Cutting path width blade (cm)	23
Cutting path width (string head) (cm)	40
Handle type	Bike handle
Weight with battery pack (EPTA) (kg)	6.5 (M18 HB12)



M18 BLLT-0 | Article Number 4933472218

M18

#### M18™ BRUSHLESS GRASS TRIMMER

- The M18<sup>™</sup> brushless grass trimmer has the power to clear thick brush and reaches full throttle in under 1 second
- Up to 4600 RPM in first mode and 6200 RPM in second mode
- 2-speed variable trigger allows the user to choose between higher performance or extended run time
- Adjustable cutting swath of 35 cm 40 cm
- Up to 1 hour of run time with M18™ HIGH OUTPUT™ 8.0 Ah battery pack
- Easy load trimmer head and adjustable auxiliary handle for optimum user comfort and control
- Brushless motor, REDLITHIUM™ battery pack and REDLINK™ electronic deliver power, run time and durability
- Flexible battery system: works with all MILWAUKEE® M18™ batteries

Cutting line diameter (mm)	2.4
Cutting path width (cm)	40
Weight with battery pack	5.3 (M18 HB8)



M18 FHET60-0 | Article Number 4933493290 (Also available as a kit version)

#### 

#### M18 FUEL™ HEDGE TRIMMER 60 CM

#### **FEATURES:**

- Double sharpened blade for clean cuts and removal of thicker material
- Power to cut 20 mm branches
- 60 cm blade trims more material in a single pass, increasing reach and productivity
- Up to 2 hours run time with an M18<sup>™</sup> HIGH OUTPUT<sup>™</sup> 8.0 Ah battery pack
- POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

<u> </u>	
Blade length (cm)	60
Cutting capacity (mm)	20
Tooth spacing (mm)	20
Stroke rate (spm)	3400
Weight with battery pack (EPTA) (kg)	5.2 (M18 HB8)
	L-BEDLITHIUM <sup>™</sup>

M18 FHET45-0 | Article Number 4933493293 (Also available as a kit version)

#### 

#### M18 FUEL™ HEDGE TRIMMER 45 CM

#### **FEATURES:**

- Double sharpened blade for clean cuts and removal of thicker material
- 45 cm blade for more flexibility and the power to cut 19 mm branches
- Sustains power under load without bogging down
- Up to 2 hours run time with an M18™ HIGH OUTPUT™ 8.0 Ah battery pack
- All-metal gear case fully encloses and completely protects the gear drive system from jobsite abuse
- Blade tip guard to protect the blades and prevent accidental damage of fences or other objects



M12 FHT20-0 | Article Number 4933479675 (Also available as a kit version)

#### M12 FUEL

#### M12 FUEL™ HEDGE TRIMMER 20 CM

#### **FEATURES:**

- 20 cm blade ideal for small detail work like trimming overgrowth or topiary of hedges, shrubs and small bushes
- Delivers fast and precise cuts for upmost productivity
- All metal gear case for increased durability
- Slim ergonomic gripping area for outstanding control in tight to reach areas
- Well balanced and low weight for better control and effortless cutting in multiple positions
- Blade tip guard to protect the blades and prevent accidental damage of other objects



REDUITIE!|UM||



M18 FCHS-0 | Article Number 4933464723 (Also available as a kit version)

#### 

#### M18 FUEL™ CHAINSAW WITH 40 CM BAR

#### **FEATURES:**

- The M18 FUEL<sup>TM</sup> chainsaw delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- FUEL<sup>™</sup> technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ batteries

		7 Miles	
e M18	Chain bar length (cm)	40	
extended	Chain speed (m/s)	12.4	
are designed	Chain pitch (mml")	9.5 / 3/8"	
™ batteries	Chain gauge (mm/)	1.1 / 0.043"	
<del>- Dattor</del> ics	Weight with battery pack (EPTA) (kg)	6.4 (M18 HB12)	



M18 FCHS35-0 | Article Number 4933479678 (Also available as a kit version)

#### M<sub>18</sub> FUEL

#### M18 FUEL™ CHAINSAW WITH 35 CM BAR

#### **FEATURES:**

- Delivers the power to outperform on the most demanding applications vs. petrol chainsaws
- Maintains speed in tough applications without bogging down
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ batteries
- It cuts up to 150 pieces of 100 mm x 100 mm pine on a full charge of an M18™ HIGH OUTPUT™ 12.0 Ah battery



M18 FCHSC-0 | Article Number 4933471441 (Also available as a kit version)

#### M18 FUEL

THIUM

#### M18 FUEL™ CHAINSAW WITH 30 CM BAR

- Delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- FUEL<sup>TM</sup> technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc
- Provides extremely high work per charge the saw will cut 150 pieces of 100 mm x 100 mm pine on one full charge of a 12.0 Ah battery
- Supplied with 80cc of oil, chain tool and bar cover



M18 FTHCHS30-0 | Article Number 4933479586 (Also available as a kit version)

#### 

#### M18 FUEL™ TOP HANDLE CHAINSAW WITH 30 CM BAR

#### **FEATURES:**

- Outstanding speed of cut in hardwood vs petrol or higher voltage top handle chainsaws
- High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down
- FUEL™ technology to reach full throttle in under 1 second
- Up to 150 cuts in 10 x 10 cm cedar on a full M18<sup>TM</sup> HIGH OUTPUT<sup>TM</sup> 8.0 Ah battery charge for outstanding productivity
- Top handle design and optimised balance perfectly suited for arboricultural work

	This was a second	Milwanker	ر منحنت	
	Chain bar length (cm)	30	1	Mary 1
	Chain speed (m/s)	15		
l	Chain pitch (mml")	8.3/ .325″		AL VI
	Chain gauge (mm/)	1.1/ 0.043″		<b>原</b>
ed for	Weight with battery pack (EPTA) (kg)	4.7 (M18 HB8)		
			N. W. Chi. (1)	100000



M18 FTHCHS35-0 | Article Number 4933479588 (Also available as a kit version)

#### M18 FUEL

#### M18 FUEL™ TOP HANDLE CHAINSAW WITH 35 CM BAR

#### **FEATURES:**

- Outstanding speed of cut in hardwood vs petrol or higher voltage top handle chainsaws
- High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down
- FUEL™ technology to reach full throttle in under 1 second
- Up to 150 cuts in 10 x 10 cm cedar on a full M18<sup>TM</sup> HIGH OUTPUT<sup>TM</sup> 8.0 Ah battery charge for outstanding productivity
- Top handle design and optimised balance perfectly suited for arboricultural work

	W
	F
Chain bar length (cm) 35	
Chain speed (m/s) 15	P
Chain pitch (mml") 8.3/ .325"	¥.
Chain gauge (mm/') 1.1/ 0.043"	
Weight with battery pack (EPTA) (kg) 4.7 (M18 HB8)	

M18 FHS20-0 | Article Number 4933480117 (Also available as a kit version)

#### M18 FUEL

LITHIUM

#### M18 FUEL™ HATCHET™ PRUNING SAW 20 CM

#### **FEATURES:**

- M18 FUEL<sup>™</sup> HATCHET<sup>™</sup> pruning saw delivers outstanding power and torque to cut hardwood without bogging down
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals

- Compact design for increased control and maneuverability in tight access areas
- Up to 180 cuts in 10 x 10 cm cedar on a full M18<sup>TM</sup> HIGH OUTPUT<sup>TM</sup> 5.5 Ah battery charge for outstanding productivity
- Flexible battery system: works with all MILWAUKEE® M18™ batteries





M18 FTPS30-0 | Article Number 4933480868 (Also available as a kit version)

#### M18 FUEL™ TELESCOPING POLE SAW 30 CM

#### **FEATURES:**

- Powerful cutting performance due to a chain speed of 25.4 m/s, high torque and 30 cm cutting length for fast results
- Outperforms petrol pole saws in demanding applications
- Features a telescopic shaft with a square profile and a quick length adjustment collar, allowing for optimal length adjustment of up to 400 cm
- Up to 70 cuts in 150 mm x 150 mm hardwood on one full charge of a 12.0 Ah battery pack
- Developed to achieve precise cuts in higher tree areas with perfect balance and design

Chain bar length (cm)	30
Chain speed (m/s)	25.4
Chain pitch (mml")	8.3/ .325
Chain gauge (mm/')	1.1/ 0.043
Weight with battery pack (EPTA) (kg)	8.3 (M18 HB12)



M12 FHS-0 | Article Number 4933472211 (Also available as a kit version)

M12 FUEL

#### M12 FUEL™ HATCHET™ PRUNING SAW

- M12 FUEL<sup>™</sup> HATCHET<sup>™</sup> pruning saw delivers outstanding control & access, has the power to cut 75 mm hardwoods, and delivers up to 120 cuts per charge on an M12 B4 battery pack
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals
- Weighing 2.3 kg and featuring a compact design, the cordless pruning saw gives you increased control and manoeuvrability in tight access areas
- Easy access chain tensioner ensures quick adjustment to chain tension
- Translucent oil reservoir allows for clear visibility to oil levels
- Variable speed trigger gives the user full control over the power range
- All metal bucking spikes allow for increased leverage during applications

Chain bar length (cm)	15
Chain speed (m/s)	5
Chain pitch (mm)	9.5 / 3/8″
Chain gauge (mm/')	1.1 / 0.043″
Weight with battery pack (EPTA) (kg)	2.3 (M12 B6)



M18 BLTS-0 | Article Number 4933480865 (Also available as a kit version)

M18

#### M18™ BRUSHLESS TELESCOPIC SHEAR

#### **FEATURES:**

- Power to cut up to 4.4 cm branches
- Telescopic function over easy-to-use collar allows to expand from 2.1 up to 3 metres for versatile applications
- Up to 2000 cuts in 2.5 cm softwood branches with an M18 HB5.5 HIGH OUTPUT™ battery pack
- Outer shaft jacket for increased control & optimum grip
- Retractable branch hook allows the user to keep a compressed profile for better access or to pull down branches that become stuck
- Brushless motor, REDLITHIUM™ battery pack and REDLINK™ electronic deliver power, run time and durability
- Flexible battery system: works with all MILWAUKEE® M18™ batteries

Length (m)	2.1 - 3.0
Telescopic	Yes
Max. cutting capacity (full) (mm)	44
Weight with battery pack (EPTA) (kg)	6.4 (M18 HB5.5)
Weight with battery pack (EPTA) (kg)	6.4 (M18 HB5.5)



M12 BLPRS-0 | Article Number 4933480114 (Also available as a kit version)

M12

#### M12™ BRUSHLESS PRUNING SHEARS

- Power to cut branches up to 32 mm
- Trigger tracking technology allowing for blade movement to follow the trigger movement for increased control during the application
- No manual effort required, especially convenient for extended applications
- Mode select board provides ability to lock blades into half capacity of 16 mm, allowing for increased cut speed
- Over 1,000 cuts in 1.25 cm material with a M12 B2 battery pack
- Wrist strap and wrist strap attachment point included for better handling of the tool

Max. cutting capacity (full) (mm)	32
Max. cutting capacity (half) (mm)	16
Battery type	Li-ion
Blade material	SK5 Steel
Weight with battery pack (EPTA) (kg)	1.5 (M12 B2)





M18 F2BPB-0 | Article Number 4933493212 (Also available as a kit version)

#### M18 FUEL™ DUAL BATTERY BACKPACK BLOWER



- High constant clearing force with a consistent blowing force of 20.5 N over the entire battery discharge
- 2 x 18V dedicated backpack blower with a padded back pad and padded adjustable straps for extreme comfort
- Up to four battery slots for extended run time
- Up to 18.5 m³/min of air volume at 250 km/h to clear leaves, gravel and debris
- Optimised balance and ergonomics with a 3-mode select, variable speed lever, toolfree handle adjustment and telescoping adjustable nozzle
- Achieves full throttle in under 1 second
- Easy to transport thanks to hook for vertical nozzle storage and carry handle
- Interchangeable nozzle attachments to optimise the blowing pattern for various applications
- The DNA of our FUEL<sup>™</sup> platform redefines the balance of cordless technologies. MILWAUKEE®'s POWERSTATE<sup>™</sup> brushless motor, REDLITHIUM<sup>™</sup> battery pack and REDLINK PLUS<sup>™</sup> electronic intelligence delivering outstanding power, run time and durability
- Flexible battery system: works with all MILWAUKEE® M18™ batteries

Air speed (km/h)	0 - 250
Air volume (m³/min)	0 - 18.5
Clearing force (N)	20.5
Cruise control	Yes
Weight with battery pack (EPTA) (kg)	11.4 (2x M18 HB12)









M18 F2BL-0 | Article Number 4933479987 (Also available as a kit version)

#### 

M18 FUEL

M18 FUEL

#### M18 FUEL™ DUAL BATTERY BLOWER

#### **FEATURES:**

- Up to 17 m³/min of air volume at 233 km/h to clear leaves, gravel and debris
- High constant clearing force with a consistent blowing force of 17.7 N over the entire battery discharge
- Best clearing control due to balanced design and ambidextrous variable speed lock allowing the user to lock on to any speed for precise applications
- Interchangeable nozzle attachments to optimise the blowing pattern for various applications
- Achieves full throttle in under 1 second

	dumille "I'	Milwankee		
ne user to lock				
he blowing	Air speed (km/h)	0 - 233	NAME OF TAXABLE PARTY O	
<del>ne blow</del> ing	Air volume (m³/min)	0 - 17	THE RESERVE OF THE PARTY OF	10000
	Clearing force (N)	17.7		No. No. W.
	Weight with battery pack (EPTA) (kg)	5.9 (M18 HB8)	- Marin	
			THE RESIDENCE OF SHARPS SHAPE OF SHAPE	THE RESERVE THE PARTY OF THE PA

BATTERY TECHNOLOGY

M18 FBL-0 | Article Number 4933459825

#### M18 FUEL™ BLOWER

#### FEATURES:

- POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power
- REDLINK PLUS<sup>TM</sup> intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
- Ergonomic inline design clears debris and dirt in tight spaces
- Up to 12.74 m³/min of air volume at 193 km/h to clear debris
- Variable trigger and speed lock for full power control
- Lock-on switch



/ REDLITHIUM™

M18 FBLG3-0 | Article Number 4933493301 (Also available as a kit version)

#### M18 FUEL™ BLOWER

- Up to 14.2 m³/min of air volume at 193 km/h to clear debris
- Consistent 12.2 N throughout the entire battery discharge
- Reaches full throttle in under 0.6 seconds
- Ambidextrous variable speed lock allowing the user to lock on to any speed for precise applications and optimum runtime
- Interchangeable nozzle attachments to optimize the blowing pattern for various applications
- Flexible battery system: works with all MILWAUKEE® M18<sup>TM</sup> batteries





M18 FOPH-0 | Article Number 4933464954

#### 

#### M18 FUEL™ OUTDOOR POWER HEAD WITH QUIK-LOK™

#### **FEATURES:**

- Versatile outdoor power equipment system, powered by a single power head
- Delivers the capability to swap between multiple attachments to complete a wide range of applications
- Full throttle in under 1 second
- 2-speed with variable speed trigger
- Adjustable auxiliary handle, strap and carrying ring h tool up for the optimum user comfort and control
- Flexible battery system: works with all MILWAUKEE® M18™ batteries

nelp set the	Voltage (V)	18			8
	No load speed gear 1 (rpm)	0 - 6860	1	A PARTY	偔
${\mathbb R}$	No load speed gear 2 (rpm)	0 - 8680		<b>第</b> 5人公司东	1
<u></u>	Weight with battery pack (EPTA) (kg)	4.1 (M18 HB8)			Col.
			25.171	THE STATE OF THE S	2

**REDLITHIUM**<sup>™</sup>

M18 FOPH-RA | Article Number 4932492669

M18

#### **QUIK-LOK™ RECIPROCATOR ATTACHMENT**

#### **FEATURES:**

Achieves precision and versatility, allowing to safely trim around obstacles, create perfect edges without debris, and effortlessly clear light brush and shrubs

,		enting the whirling up of n in confined spaces and	
<ul><li>23 cm cutting width efficient and precise</li></ul>		working process, enabling	
<ul> <li>Specifically designed surfaces</li> </ul>	d for weed rem	noval on gravel and paved	
<ul> <li>With a compact toe prioritises user prote</li> </ul>		egrated, our reciprocator	
<ul> <li>A protective storage ease of storage and</li> </ul>		ng added protection and for the tool	
■ Compatible with MII head QUIK-LOK™ a		18 FUEL™ outdoor power tem	
Blade diameter (mm)	230		
Cutting capacity (mm)	13	50 13	
Stroke rate (spm)	2480	San	
Marketet A. Other at Leathers A. W. A.			



M18 FOPH-BCA | Article Number 4932479986

#### **QUIK-LOK™ BRUSH CUTTER ATTACHMENT**

#### M18

M18 FUEL

#### **FEATURES:**

- Designed to clear tall grass, weeds, thick brush and saplings up to 3 cm diameter
- 4-tooth blade with 23 cm diameter to cut overgrown areas
- Optimized blade shield design for better material containment
- Full throttle in under 1 second
- Protected drive shaft for increased durability against drops
- Compatible with MILWAUKEE® M18 FUEL<sup>TM</sup> outdoor power head QUIK-LOK<sup>TM</sup> attachment system





M18 FOPH-LTA | Article Number 4932464955

#### **QUIK-LOK™ GRASS TRIMMER ATTACHMENT**

#### FEATURES:

- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system
- Has the capability to clear thick brush
- 38.6 cm cutting path width
- Easy load trimmer head with bump feed holds 7.6 m of 2.0 mm trimmer line or 6.1 m of 2.4 mm trimmer line
- Designed to meet landscape maintenance professional needs
- Extreme wear resistance delivering longer life



M18 FOPH-CSA | Article Number 4932464957

#### **QUIK-LOK™ CHAINSAW ATTACHMENT**

#### **FEATURES:**

- Compatible with MILWAUKEE® M18 FUEL<sup>TM</sup> outdoor power head QUIK-LOK<sup>TM</sup> attachment system
- Perfect for cutting down overhead limbs or branches
- 254 mm bar with automatic chain oiling
- Side access chain tensioner for easy chain adjustment
- Branch extracting hook, ideal for leverage and pulling cut branches out of the way
- Up to 150 cuts with a M18<sup>™</sup> 8.0 Ah battery

■ Suitable for use with 91 cm extension attachment for maximum reach





M18 FOPH-HTA | Article Number 4932464959

#### 

#### **QUIK-LOK™ HEDGE TRIMMER ATTACHMENT**

#### **FEATURES:**

- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system
- Capable of cutting branches and limbs up to 25 mm in diameter
- 508 mm blade trims more material in a single pass, increasing reach and productivity
- Articulating head offers 12 positions from 0° to 270° for the most comfortable user sculpting angles and easy trimming the top of tall hedges

  Blade length (mm)
  Cutting capacity (n
  Stroke rate (som)
- Blade tip guard protects blades from contact with hard objects such as fencing
- Blade cover fully encloses the blade set for storage and transportation purposes



REDLITHIUM<sup>™</sup>

M18 FOPH-SHTA | Article Number 4932492666

M18

#### QUIK-LOK™ SHORT HEDGE TRIMMER ATTACHMENT

#### **FEATURES:**

- Capable of cutting branches and limbs up to 19 mm diameter
- 508 mm blade trims more material in a single pass, increasing reach and productivity
- Blade tip guard protects blades from contact with hard objects such as fencing
- Blade cover fully encloses the blade set for storage and transportation purposes
- Short length makes it perfectly suitable for topiary of high and wide hedges
- Straight shaft makes the tool more robust and the low weight more comfortable for the user



M18 FOPH-EXA | Article Number 4932464960

#### M18 FUEL

#### **QUIK-LOK™ EXTENSION ATTACHMENT**

- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system
- Easily adds an additional 91 cm reach to MILWAUKEE® outdoor power head chainsaw and hedge trimmer attachments making the tool much safer to use without the need for a ladder



M18 FOPH-BBA | Article Number 4932479985

#### M18

#### **QUIK-LOK™ BRISTLE BRUSH ATTACHMENT**

#### **FEATURES:**

- Clearing wet leaves, pebbles, dirt, sand, mulch and other debris off hard surfaces like sidewalks, paths, driveways or patios
- Efficiently cleans between cracks in sidewalk or pavement
- Counter-rotation of the drum throwing material in front and away from the operator
- 58 cm clearing capacity achieving best material movement on a single pass for increased productivity
- Robust bristle brushes ensure a longer lifetime
- Optimised guard design for best material containment
- Maintenance of synthetic grass
- Full throttle in under 1 second
- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system

Cleaning width [cm]	58
Diameter (mm)	254
Length (cm)	122
Weight (kg)	6.5



REDLITHIUM"

M18 FOPH-RBA | Article Number 4932479984

M18

#### QUIK-LOK™ RUBBER BROOM ATTACHMENT

- Clearing stones, leaves, dirt, mulch and other debris off grassy areas and hard surfaces like sidewalks, paths, driveways or patios
- Ability to move standing water or snow up to a height of 7.5 cm
- 58 cm clearing capacity achieving best material movement on a single pass for increased productivity
- Robust rubber paddles ensure a longer lifetime
- Optimised guard design for best material containment
- Counter-rotation of the drum throwing material in front and away from the operator
- Full throttle in under 1 second
- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system

Cleaning width [cm]	58
Diameter (mm)	267
Length (cm)	122
Weight (kg)	7.3





M18 FOPH-CA | Article Number 4932492667

M18

M18 FUEL

M18

#### **QUIK-LOK™ CULTIVATOR ATTACHMENT**

#### **FEATURES:**

- Versatile attachment for bed-related tasks, including breaking up surfaces, preparing soil, and rejuvenating beds for optimal planting conditions
- Easy maneuverability in confined areas, thanks to its narrow working width of 22 cm
- Effortlessly rake up soil with the cultivator tiller featuring 22 cm bolo tines, ensuring efficient soil cultivation with ease
- Optimised guard design provides enhanced material deflection
- Compatible with MILWAUKEE® M18 FUEL<sup>TM</sup> outdoor power head QUIK-LOK<sup>TM</sup> attachment system





M18 FOPH-EA | Article Number 4932464958

#### **QUIK-LOK™ EDGER ATTACHMENT**

#### **FEATURES:**

- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system
- Designed to meet landscape maintenance professional needs
- Get the perfect lawn, sidewalk and path edges creating a sharp and manicured look
- Adjustable height and guide wheel help for best tool performance and control
- 20.3 cm blade offers long life and durability
- Up to 3900 RPM offers an efficient and nice clean cut



M18 FOPH-BA | Article Number 4932492668

#### **QUIK-LOK™ BLOWER ATTACHMENT**

- Up to 14.2 m³/min of air volume at 193 km/h for efficient clearing of leaves, gravel, and debris
- Cleans tight corners and other hard-to-reach areas effectively
- Reaches under overhangs or other objects to clear materials
- Compatible with both flat and tapered nozzle attachments
- Achieves full throttle in under 1 second for immediate power delivery
- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system



M18 BPFPH-0 | Article Number 4933464961 (Also available as a kit version)

#### M18™ SWITCH TANK™ POWER BASE

#### **FEATURES:**

- The M18<sup>™</sup> SWITCH TANK<sup>™</sup> 15 I backpack fluid pump sprayer delivers the industry's first interchangeable tank design with no manual pumping
- The interchangeable tank design isolates the pump, hose and wand, separating wearable components from the M18<sup>TM</sup> SWITCH TANK<sup>TM</sup> powered base
- Add on and replace tank assemblies to eliminate crosschemical contamination and lower cost of ownership
- 120 PSI (8.27 Bar) pump pressure
- Features adjustable pressure selection dial to best suit user requirements
- Up to 2 hours of run time (12 or more tanks) with 4.0 Ah battery pack

M18 BPFP-WST | Article Number 4933464965

#### M18™ SWITCH TANK™ 15L WATER SUPPLY

#### **FEATURES:**

- Fully compatible with SWITCH TANK™
- Water sprayer tank for efficient water delivery for concrete cutting and coring applications. Also useful for washing up slurry's, areas and equipment
- Semi-transparent tank with measuring scale to know how much liquid is inside the tank
- Carry handle lid with wide mouth makes easy transport and pouring of water into tank
- Replaceable hose with standard garden hose quick coupling and spray nozzleattaches easily to concrete cutting and coring equipment. Also compatible with standard garden nozzle accessories
- Integrated strainer prevents debris from entering the tank
- 5-mode pressure adjustment knob
- UV resistant
- When equipped with an M18™ REDLITHIUM™ 4.0 Ah battery it provides up to 12 tanks of spraying per charge







M18

M18 BPFP-CST | Article Number 4933464964

#### M18™ SWITCH TANK™ 15L CHEMICAL SPRAYER

#### **FEATURES:**

- Fully compatible with SWITCH TANK™
- Chemical sprayer tank for pesticides/fertilizers/treatments/herbicides/fungicides/ insecticides/de-icing agents and more
- Semi-transparent tank with measuring scale to know how much liquid is inside the tank
- Carry handle lid with wide mouth makes easy transport and pouring of water/ chemicals into tank
- Comfortable rubber gripped spray wand handle with ability to lock-on for larger iobs
- Sprayer wand storage to save space and avoid damage during transport
- Integrated strainer prevents debris from entering the tank
- Adjustable spray pattern from cone to straight stream for end user preference and application. Up to 7.6 m spray distance



**REDLITHIUM**<sup>™</sup>

M12 BHCS3L-0 | Article Number 4933480781 (Also available as a kit version)

#### M12™ HANDHELD CHEMICAL SPRAYER 3.7 L

#### **FEATURES:**

- Instant, constant and adjustable pressure for best in class control
- Three pressure settings deliver the capability to optimise performance for a wide range of applications like spot, broadcast and distance spraying

- No manual pumping allows faster application speed and reduces user fatigue versus other manual sprayers
- 5.5 bar maximum working pressure and 5.2 m vertical spray distance for increased performance
- Delivers up to 300 litres of spraying per charge with M12 B2 battery



**RED**LITHIUM<sup>™</sup>

M12



M18 FFUS-0C | Article Number 4933479834 (Also available as a kit version)

#### 

M18

M12

#### M18 FUEL™ FENCING UTILITY STAPLER

#### **FEATURES:**

- Power to fire MILWAUKEE® 9 gauge barbed collated staples from 40 mm to 50 mm
- Fires up to 600 staples per charge on a REDLITHIUM™ 3.0 Ah battery pack for maximum productivity
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Tool-free, quick and easy depth adjustment to assure staples are driven to the correct depth so as not to crush the wire
- Quick access hatch for easy clearing of jammed staples
- Dry-Fire lockout stops the tool being fired when there are no staples left in the magazine



**REPLITHIUM**™

M18 GG-0 | Article Number 4933440493 (Also available as a kit version)

#### M18™ GREASE GUN

#### **FEATURES:**

- Powerful 18V motor delivers over 690 bar max. operating pressure
- REDLINK<sup>™</sup> overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics only 355 mm long and 3.9 kg
- Air bleeder valve priming mechanism for quick flow
- Integrated hose storage, shoulder strap loop & LED fuel gaugeadded user convenience and reducing down time
- Three way loading bulk, cartridge and suction capable



M12 GG-0 | Article Number 4933440435 (Also available as a kit version)

#### M12™ SUB COMPACT GREASE GUN

#### **FEATURES:**

- Powerful 12 V motor delivers over 562 bar max operating pressure
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics only 355 mm long and 3.2 kg
- Air bleeder valve priming mechanism for quick flow
- Integrated hose storage & shoulder strap loop added user convenience and reducing down time



20

M18 FCOS230-0 | Article Number 4933471696 (Also available as a kit version)

#### 

M18 FUEL

#### M18 FUEL™ CUT OFF SAW

#### **FEATURES:**

- The world's first 18V 230 mm battery powered cut-off saw, delivers the power to cut reinforced concrete, whilst being 50% lighter than other petrol comparisons
- Starts up instantly, eliminates the need to mix petrol and oil, and avoids petrol engine maintenance
- Can be used indoors due to zero fume emissions
- Features RAPIDSTOP™ blade brake and load indicator light, as well as lowest vibrations at 1.81 m/s²
- 85 mm cutting depth for class leading performance

<b>?</b>				
ator light,	Blade diameter (mm)	230		
<del></del>	Max. cutting depth (mm)	85		
	No load speed (rpm)	6600	The second second	70 0
;	Weight with battery pack (EPTA) (kg)	6.2 (M18 HB12)	Ver 4	
		<u>,                                      </u>	17 - 12 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	The second second

REPLITHIUM<sup>™</sup>

M18 FAC-0 | Article Number 4933472166 (Also available as a kit version)

#### M18 FUEL™ AIR COMPRESSOR

#### **FEATURES:**

- POWERSTATE™ brushless motor delivers a maximum air pressure of 9.31 bar and 48 l/m at 2.8 bar which delivers enough performance to run common finish nailers and staplers
- At only 68 dB(A) this is one of the quietest cordless compressors on the market allowing for a more comfortable working environment on the jobsite
- 14 kg in weight and equipped with two carry handles allows the compressor to be easily transport to and from the jobsite
- Excellent productivity with a run time of 1600 18G brad nails on a M18™ 12.0 Ah battery



**REDLITHIUM**"

M18 BI-0 | Article Number 4933478706 (Also available as a kit version)

#### M18™ INFLATOR

#### **FEATURES:**

- Compact lightweight design for fast inflation of car, light truck and compact equipment tyres. Top off 235/65R16 sprinter tyres in under 1 minute
- Anti-vibration stand with all rubber feet for no movement while inflating
- Top off up to 30 tyres on an M18<sup>™</sup> 5.0 battery
- 10.3 max bar capacity

- Auto pressure check feature activates to ensure bar target is achieved
- Automatic shut-off at selected bar prevents over inflation



**REDLITHIUM**<sup>™</sup>

M18



Article Number 4932492533
M18TM FORGETM 6.0 AH
BATTERY

Article Number 4932464260

M18™ HIGH OUTPUT™ 12.0 AH BATTERY



Article Number 4932471070

M18™ HIGH OUTPUT™ 8.0 AH BATTERY



Article Number 4932464712

M18™ HIGH OUTPUT™ 5.5 AH BATTERY



Article Number 4932471069

M18™ HIGH OUTPUT™ 3.0 AH BATTERY



Article Number 4932430483

M18™ 5.0 AH BATTERY



Article Number 4932430063

M18™ 4.0 AH BATTERY



Article Number 4932430062

M18™ 2.0 AH BATTERY



Article Number 4932480165

M12™ 5.0 AH HIGH OUTPUT™ BATTERY



Article Number 4932451395

M12™ 6.0 AH BATTERY



Article Number 4932430065

M12™ 4.0 AH BATTERY



Article Number 4932451388
M12™ 3.0 AH
BATTERY



Article Number 4932472073

M18™ DUAL BAY RAPID CHARGER



Article Number 4932430554

M12™ 4 BAY CHARGER



Article Number 4932430064

M12™ 2.0 AH BATTERY



Article Number 4932451079

M12™ - M18™ FAST CHARGER



Article Number 4932352959

M12™ - M18™ CHARGER



Article Number 4932492531

M18 FUEL™ DUAL BAY SUPER CHARGER



Article Number 4932352000

M12™ CHARGER



Article Number 4932430086


M14™ - M18™ MULTIBAY CHARGER



VIEW OUR BATTERIES & CHARGERS HERE







Article Number 4932492430

#### HOLSTER M12 BLPRS



Article Number 4932492418

#### SHOULDER STRAP M18 F2BL



Article Number 4932479819

#### HIGH PERFORMANCE MOWER BLADE 217 53 CM



Article Number 4932492106

MOWER BLADE 187 46 CM



Article Number 4932492107

HIGH PERFORMANCE MOWER BLADE 187 46 CM



Article Number 4932479818

MOWER BLADE 217 53 CM



Article Number 4932479821

LAWN MOWER COVER 217 53 CM



Article Number 4932480180

EASY LOAD TRIMMER HEAD GEN II



Article Number 4932481041

BRUSH CUTTER REPLACEMENT BLADE 4-TOOTH



Article Number 4932471330

EDGER BLADE 20CM -M18 FOPH



Article Number 4932492431

REP BLADE M12 BLPRS



Article Number 49162712

2 MM X 45 M TRIMMER LINE



Article Number 49162713

2.4 MM X 76 M TRIMMER LINE



Article Number 4932493811

CHAINSAW BAG HATCHET M12 & M18



Article Number 4932493810

CHAINSAW BAG M18 REAR HANDLE



**Article Number 4932464873** 

40 CM/ 16" SAW CHAIN 3/8" X 1.1 M18 FCHS



Article Number 4932479820

35 CM/ 14" SAW CHAIN 3/8" X 1.1 M18 FCHS35



Article Number 4932471385

30 CM/ 12" SAW CHAIN 3/8" X 1.1 M18 FCHSC



**Article Number 4932471329** 

25 CM/ 10" SAW CHAIN 3/8" X 1.1 M18 FOPH-CSA



Article Number 4932480176

20 CM/ 8" SAW CHAIN 3/8" X 1.1 M18 FHS



Article Number 4932478427

15 CM/ 6" SAW CHAIN 3/8" X 1.1 M12 FHS



**Article Number 4932480178** 

35 CM/ 14" SAW CHAIN 0.325" X 1.1 M18 FTHCHS35



**Article Number 4932480177** 

30 CM/ 12" SAW CHAIN 0.325" X 1.1 M18 FTHCHS30



Article Number 4932480174

40 CM/ 16" GUIDE BAR M18 FCHS



Article Number 4932480173

GUIDE BAR 147/35 CM



Article Number 4932480172

35 CM/ 14"
GUIDE BAR M18
FTHCHS35



Article Number 4932480171

30 CM/ 12"
GUIDE BAR M18
FTHCHS30



Article Number 4932492849

DOUBLE SHOULDER HARNESS FOR BRUSH CUTTERS



Article Number 4932480170

25 CM/ 10" GUIDE BAR M18 FOPH-CSA



Article Number 4932480169

20 CM/ 8" GUIDE BAR M18 FHS



Article Number 4932480168

15 CM/ 6" GUIDE BAR M12 FHS





# BOLT

NEW
INDUSTRIAL
HARD HAT





## ABS SHELL

### ELECTRICALLY INSIII ATEN

For use on low voltage installations EN50365 Nominal voltage up to 1000V AC and 1500V DC

# PREMIUM RATCHET

## BOLT

### **ATTACHMENTS**

#### **MULTI ACCESSORIES COMPATIBILITY**



BOLT™ Visor Universal Tinted 4932479942

Universal Clear 4932479941



BOLT™ Mesh Face Shield Universal 4932479940



BOLT™ Face Shield Universal Clear 4932479938

Universal Grey 4932479939



BOLT™ Low Profile Headlamp Mount 4932493350



BOLT™ Headlamp 4933479902



NEW BOLT™ Badge Holder 4932493510

# **COMFORT & FASHIONABLE FIT**

- Extremely comfortable and easy to adjust wheel ratchet system.
- Comfortable inner foam material.
- Compact design to offer a perfect fit on the head.
- Washable and replaceable sweatband and crown line.

SCAN TO VIEW OUR FULL RANGE



# BOLT

### WORKING AT JOBSITE HELMET

### **LEXAN SHELL**

SUPERIOR IMPACT RESISTANCE

# INNER FOAM TECHNOLOGY

Foam progressively stiffens when impacted: distributes pressure evenly across entire head when impacts, independent of impact location.

# ADJUSTABLE CHIN STRAP

Across BOLT™ 100 and BOLT™ 200 products



BOLT<sup>™</sup> Sunshade Yellow 4932492101



BOLT™ LP Earmuffs 4932478878



BOLT™ HP Earmuffs 4932478877



**BOLT™ Visor Compact Tinted** 4932479947

Compact Clear 4932479946



BOLT™ Mesh Face Shield Compact 4932479945



COLOURS AVAILABLE

UNIQUE

**BOLT 200™** 

**ACCESSORIES COMPATIBILITY** 

Only BOLT™ 200 products

SIZE: 52-68 CM


BOLT™ Face Shield Compact Clear 4932479943 Compact Grey 4932479944

BOLT™ 200 OPE Helmet | Article Number 4932493626

#### **BOLT™ 200 OPE HELMET KIT**

- The BOLT™ 200 OPE kit includes vented helmet, hearing protection and mesh shield.
- BOLT™ 200 helmet shell made of Lexan™ ultra resistant to impacts. Extremely comfortable and easy to adjust wheel ratchet adjustment system. Compliant with EN 397 & EN 12492, including extreme temperature -40°C, Lateral Deformation.
- BOLT<sup>™</sup> Mesh Face shield made of steel for extended durability. Impact resistance rated F and compliant with EN1731.









## MILWAUKEE® PPE & WORK GEAR

Article Number 4932471881

SAFETY GLASSES CLEAR



**Article Number 4932471882** 

SAFETY GLASSES TINTED



Article Number 4932471885

PREMIUM SAFETY GLASSES CLEAR



Article Number 4932471886

PREMIUM SAFETY GLASSES POLARISED



Article Number 4932478135

BANDED EAR
PLUGS



Article Number 4932471904

REUSABLE CORDED EAR PLUGS





SCAN HERE
TO VIEW OUR
FULL RANGE

Article Number 4933478979
M12TM HEATED
CAMOUFLAGE
JACKET



Article Number 4932471913

HYBRID LEATHER GLOVES - 9/L -1PC



**Article Number 4932478124** 

**LEATHER GLOVES** - 9/L - 1PC



Article Number 4932471417

CUT A GLOVES -9/L - 1PC



Article Number 4932471890
HIGH-VISIBILITY
VEST YELLOW L/XL



Article Number 4932471896

PREMIUM HIGHVISIBILITY VEST
YELLOW - L/XL



Article Number 4932471893
HIGH-VISIBILITY
VEST ORANGE L/XL



Article Number 4932471899
PREMIUM HIGHVISIBILITY VEST
ORANGE - L/XL



Article Number 4932493005

WORK T-SHIRT SHORT SLEEVE -BLACK



Article Number 4932493020

WORK T-SHIRT SHORT SLEEVE -GREEN



Article Number 4932493080

WARM WEATHER LONG SLEEVE PERFORMANCE SHIRT - BLACK



Article Number 4933478196

WORKSKIN™ LIGHT WEIGHT PERFORMANCE SHORT SLEEVE SHIRT -GREY (L)



Article Number 4932480078
M12<sup>TM</sup> HEATED

PUFFER VEST



Article Number 4932480102

M12™HEATED VEST - GREY



L4 RLEPB-301 | Article Number 4933478750

#### **USB RECHARGEABLE HEARING ASSIST EARPLUGS W/BLUETOOTH**

- Jobsite Awareness provides controllable situational awareness, while reducing the intensity of loud external noises
- Digital Bluetooth connects devices up to 100 m and allows to listen to Music/Podcas/Audiobooks/Media and accept/ Talk On/Decline Phone calls
- European Certified hearing protectors: EN 352-2:2020 (SNR silicone ear plugs = 26 dB; SNR Foam ear plugs = 32 dB); EN 352-7:2020; EN 352-9:2020; and EN 352-10:2020)
- Designed for on-the-job use, passive hearing protection is provided by silicone and foam ear tips





## RUN TIME DATA



APPLICATION	PRODUCT NAME	PRODUCT NAME BATTERY					
M18		M18 HB3	M18 B4	M18 B5	M18 HB5.5	M18 HB8	M18 HB12
CHAINSAWS							
	M18 FCHS	38	40	50	75	100	150
LOG CUTTING CUTS IN 10CM PINE	M18 FCHSC	38	40	50	75	100	150
	M18 FCHS35	38	40	50	75	100	150
	M18 FHS20	90	120	150	180	240	360
LOG CUTTING CUTS IN 10CM CEDAR	M18 FTHCHS30	56	75	93	112	150	225
	M18 FTHCHS35	56	75	93	112	150	225
POLE SAWS							
PRUNING CUTS IN 7.5CM OAK	M18 FOPH-CSA	62	65	82	123	166	247
GRASS TRIMMERS							
GRASS CUTTING	M18 BLLT	13 min	14 min	17 min	26 min	35 min	53 min
HIGH MODE	M18 FOPH-LTA	12 min	13 min	16 min	24 min	33 min	49 min
GRASS CUTTING LOW MODE	M18 BLLT	26 min	28 min	35 min	54 min	70 min	105 min
*measured under no load speed, simulates light grass trimming application	M18 FOPH-LTA	22 min	23 min	29 min	44 min	58 min	88 min
HEDGE TRIMMERS							
	M18 CHT	52 min	56 min	70 min	105 min	140 min	211 min
LIGHT TRIMMING  *measured under no load speed,	M18 FHT45	52 min	56 min	70 min	105 min	140 min	211 min
simulates light hedge trimming application	M18 FOPH-HTA	26 min	28 min	35 min	52 min	70 min	105 min
BRUSH CUTTERS							
TRIMMING HIGH MODE	M18 FOPH-BCA	23 min	30 min	38 min	46 min	61 min	91 min
*No load run time with blade at full throttle (simulates light brush cutting)	M18 FBCU	12 min	13 min	16 min	24 min	33 min	49 min
TRIMMING LOW MODE  *measured under no load speed, simulates light grass trimming application	M18 FBCU	22 min	23 min	29 min	44 min	58 min	88 min
BLOWERS							
TOUGH BLOWING HIGH MODE	M18 FBL	6 min	6 min	8 min	12 min	16 min	24 min
LIGHT BLOWING LOW MODE	M18 FBL	18 min	19 min	24 min	36 min	48 min	72 min

SCAN TO VIEW OUR OPE RANGE




# RUN TIME DATA

M12 M18

APPLICATION		PRODUCT NAME	BATTERY					
M18			M18 HB3	M18 B4	M18 B5	M18 HB5.5	M18 HB8	M18 HB12
SPRAYERS								
CHEMICAL SPRAYER  *Number of tanks on speed one which is equivalent to light spraying	1	M18 BPFP-CST	9 tanks	12 tanks	15 tanks	18 tanks	24 tanks	36 tanks
EDGERS								
LIGHT EDGING HIGH MODE	(MANA)	M18 FOPH-EGA	40 min	42 min	53 min	80 min	106 min	160 min
BRUSHES								
CLEANING HIGH MODE *measured under load moving wood chips and dirt at full throttle		М18 ГОРН-ВВА	11 min	14 min	18 min	22 min	29 min	43 min
CLEANING HIGH MODE *measured under load moving wood chips and dirt at full throttle		M18 FOPH-RBA	9 min	12 min	15 min	18 min	25 min	37 min

M18 DUAL BATTERY		M18 HB3	M18 B4	M18 B5	M18 HB5.5	M18 HB8	M18 HB12
LAWN MOWER							
GRASS CUTTING  *removing 2.5 cm of grass at 4.8 km/h	M18 F2LM53	REPLITHIUM "" """, BATTERY TECHNOLOGY MILWAUKEE® RECOMMENDS HIGH OUTPUT" BATTERIES		1000 m²	1300 m²	2000 m²	
BLOWER							
TOUGH BLOWING	M18 F2BL	HIGH OUTPUT MILWA	REDLITH BATTERY TECHN UKEE® RECOMM OUTPUT™ BATT	IOLOGY MENDS	13	17	26

M12			M12 B2	M12 B3	M12 B4	M12 B6	M12 HB2.5	M12 HB5
HATCHET SAW								
LOG CUTTING CUTS IN 5CM OAK	1	M12 FHS	60	90	120	180	86	172
HEDGE TRIMMER								
LIGHT TRIMMING  *No load run time at full throttle (simulates light trimming application)	1/2°	M12 FHT	25 min	37 min	50 min	75 min	36 min	72 min
SPRAYER								
CHEMICAL SPRAYER  *first mode - spot spraying	1	M12 BHCS3L	3001	4501	6001	9001	4311	8621



<sup>\*</sup>Charge times are based on a fully-charged battery. These given guidelines are indicative only and may not be replicated due to the varying usage conditions. Results can vary depending on the user and the application. Test results conducted by MILWAUKEE® for recommended batteries are marked in white, all other battery capacities are calculated.

# STAY UP TO DATE

WITH MILWAUKEE®





FOLLOW OUR LATVIAN INSTAGRAM

@milwaukeetoollatvia





GET THE LATEST
PRODUCT LAUNCHES,
NEWS AND CHANCES
TO WIN STRAIGHT TO
YOUR INBOX



### **VISIT OUR WEBSITE**



YOUR GATEWAY
TO EVERYTHING
YOU NEED WHEN
IT COMES TO
MILWAUKEE®



VISIT MILWAUKEETOOL.LV TO FIND OUT MORE



Register online for your extended warranty:







Milwaukee Tool

v/ Techtronic Industries Nordic ApS Stamholmen 147,1. · DK-2650 Hvidovre Phone +358 800 109000

milwaukeetool.lv