

PLUMBING













It.milwaukeetool.eu









M12 PCSS-202C | ART.# 4933479242 (Also available as a 0-version ART.# 4933479241)

M12 RAPTOR[™] PIPE CUTTER STAINLESS STEEL



FEATURES:

- The MILWAUKEE[®] RAPTOR[™] is the worlds first 12V pipe cutter that is able to cut installed pipe, stainless steel, c-steel and copper, from 12 up to 28 mm
- 380 rpm motor cuts 28 mm stainless steel pipe in less than 20 seconds
- Up to 90 cuts in 15 mm stainless steel with one M12TM 2.0 Ah battery
- Auto adjusting jaws automatically adjust to pipe size
- Able to cut stainless steel, c-steel and copper in 12 15 18 22 28 mm
- All metal sealed front end rust and corrosion resistant cut head and internal drainage system which make the tool water resistant.
- Viewing window at cutting mechanism and light, allow the user to precisely cut the pipe
- Cuts 40 mm from wall

C12 PC-0 | ART.# **4933411920**

M12 SUB COMPACT COPPAR PIPE CUTTER

FEATURES:

- High performance 500 rpm motor cuts 12 mm copper pipe in less than 3 seconds
- Auto locking cut mechanism cuts installed copper tubing with as little as 40 mm clearance
- Auto adjusting jaws automatically adjust to pipe size
- On board fuel gauge and LED light for illumination
- in low lit working conditions

C12 PPC-0 | ART.# **4933416550**

M12 SUB COMPACT PEX CUTTER

FEATURES:

- Massive cutting pressure of 175 kg/cm²
- Powerful mechanism cuts up to 50 mm
- PVC pipe in 3 seconds
- Variable speed trigger for complete cut out control
- Super sharp blade for blur free cuts
- On board fuel gauge and LED light for illumination in low lit working conditions













#MILWAUKEETOOL O MILWAUKEETOOL.EU





M12 HPT	M18 BLHPT	M18 ONEBLHPT	M18 BLHPTXL
M12™	M18™	M18™	M12™
No	No	Yes	No
19	32	32	32
35	108	108	108
40	110	110	110
4933478247	4933478248	4933478305	4933479440
	M12™ No 19 35 40	M12™ M18™ No No 19 32 35 108 40 110	M12™ M18™ M18™ No No Yes 19 32 32 35 108 108 40 110 110

PRESS JAW RANGE

Jaw profile	Fits to following pipe system suppliers	Tool suitability	Size
	Geberit: Mapress VSH: X-Press	M12	12 -35
			12-108 (42-108 use ringadapter)
	Eurotubi Raccorderie Metallique Rubinetterie Bresciane		RJA-1 (adapter)
	Sanha: Nirosan Pegler Yorkshire	M18)	RJAXL-1 (adapter)
			RJAXL-2 (adapter)
Jaw profile	Fits to following pipe system suppliers	Tool suitability	Size
		M12	12 -35
Viega Comap IBP Sanha: Nirosan	Comap		12-108 (42-108 use ringadapter)
		M18	RJA-1 (adapter)
			RJAV-2 (adapter)

Jaw profile	Fits to following pipe system suppliers	Tool suitability	Size
ALB		ALB 16-40	
TH	Frankische Henco (nur TH14 - TH25) IPA	<u>M18</u>	16-63 (40-63 use ringadapter)
Sanha Tiemme			RJA-1 (adapter)

Jaw profile	Fits to following pipe system suppliers	Tool suitability	Size
	ALB Uponor: Unipipe, Airpipe M12 16-40		16-40
U	Wavin: Press-Systeme Frankische: Alpex F50 Profi DW Verbundrohr		16-63 (40-63 use ringadapter)
Multitubo IBP:>B <flex KE Kelit: Kelit Kelox Jupiter: Heizsystem</flex 	M18	RJA-1 (adapter)	

Jaw profile	Fits to following pipe system suppliers	Tool suitability	Size
ACZ	Acome MT	M12	12 -25

Jaw profile	Fits to following pipe system suppliers	Tool suitability	Size
NEW	Geberit: Mepla & Mepla Therm	M12	16-40
G		M18	16-50





connecto

MXF DCD150-302C ART.# 4933464887 (Also available as a 0-version ART.# 4933478986 and as a kit version with MXF DR255 ART.# 4933471835)



FEATURES:

- Core with confidence by delivering AC performance with a maximum core diameter capacity of 152 mm wet & dry
- 2 speed gearing for a wide range of applications, with laser edged speed and capacity markings into the metal body
- Integrated water line for wet coring that is compatible with the M18™ SWITCH TANK[™] interchangeable sprayer



M18 BTP-0 | ART.# 4933471494

M18 COMPACT TRANSFER PUMP

FEATURES:

- 18V transfer pump with 3.4 kg in weight, it's lighter than other corded transfer pumps with an equal performance
- With a flow rate of 1817 l/h, it can deliver 908 I of transferred water with one M18[™] 5.0 Ah battery charge
- The tool's flexible impeller and powerful motor generate a lift height up to 5.5 m and a head height up to 23 m
- To be used for water, clear of debris only



M12 BSWP-601 ART.# 4933479640 (Also available as a 0-version ART.# 4933479639)

M12 HYDROPASS[™] BRUSHED STICK WATER PUMP

FEATURES:

- HYDROPASS[™] unique filter system, prevents blocking of the inlet and allows the user to pump water at all times, regardless of the debris encountered
- 3/4[‴] BSPT thread outlet allows for connecting 19mm
- (inner diameter) hoses for maximum volume movement Submersible up to 85 cm, allows users to easily pump large puddles of water with a max head height of 4.5 m
- This pump is suitable for, white, grey and black water onlv



M18 FPT2-121C ART.# 4933478597 (Also available as a 0-version ART.# 4933478596)

M18 FUEL PIPE THREADER 2"





Control speed for optimal thread quality

FEATURES:

- World's first 18V 2" pipe threader on the market that is fully universal with competitive heads
- Unique to MILWAUKEE[®], pipe threader with AUTO-STOP[™] kickback control provide the user with more safety
- Multi-speed selector: speed 1, 0 29 rpm, for 1-1/4" 2", and speed 2, 0 41 rpm, for 1/8" 1", for optimised thread quality across pipe sizes for faster threading and more productivity
- Directly compatible with Ridgid 12-R, with adapter kits MILWAUKEE® FPT2AK-RI for Ridgid 11-R, MILWAUKEE® FPT2AK-RE for Rems Quick Change and MILWAUKEE® FPT2AK-RO for Rothenberger SUPER CUT

PIPE THREADER ADAPTER KIT FOF **RIDGID 11R HEADS** ART.# 4932478838

THREADEE ADAPTER KIT FOR REM QUICK CHANGE HEADS ART.# 4932478839

MPS | ART.# 4933472022 **PIPE STAND**

FEATURES:

- The first pipe stand, that is flat foldable, which allows for easier transportation and more efficient storage
- Removable shelf (MPS-RS) allows the user to easily install and remove the bottom material shelf as they like
- Different jaws for different materials available. MPS-SSJ for stainless steel and MPS-NCJ for soft materials, such as pvc. MPS-RJ, delivered standard with the tool, is a jaw for universal use







M18 MODULAR PIPELINE

Thilumak

•

STEP 1			S
CHOOSE YOUR DESIRED REEL		101	PICK
		200	M18 SISH-0 AR M18 SEWE SMART HU
ONE	M18 SIC36-0	M18 SIC60-0	
Camera cable length (m)	36	60	Save HD image and video reco
Drain capacity (mm)	50 - 150	75 - 250	to M18 [™] 500 G
Cable diameter (mm)	9	11	smart hub
Camera head diameter (mm)	25	34	Maintain live view
No. of high intensity LEDs	12	20	when swapping
Backpack strap	Yes	No	M18 [™] REDLITH
Extendable handle	No	Yes	batteries
	4933471413	4933471412	



SEALED USB-A & USB-C

SELF-LEVELING HD CAMERA

Steel reinforced camera head

BATTERY COMPARTMENT

Works with all M18[™] batteries

for maximum durabilit

Wireless or USB-C video connection v M18[™] wireless monitor or MILWAUKEE® ap

INSPECTION SYSTEM



USB-C & USB PORTS Save directly to smart hub or USB stick



ONE TKEY SCAN THE QR CODE AND DISCOVER **FREE APP NOW!**

M12 IC-201C ART.# 4933441680 (Also available as a 0-version ART.# 4933431615)

M12 SUB COMPACT M-SPECTOR" 360° CAMERA

- Optimised 68.6 mm LCD
- 9 mm 640 x 480 digital image sensor
- 4 surround LED lights



SMART HUB RELEASE BUTTON

FULLY ENCLOSED REEL For better mess containment

150 MM ALL-TERRAIN WHEELS

M12 PL-201C | ART.# 4933478615 (Also available as a 0-version ART.# 4933471995)

M12 PLUMBING LOCATOR

directional antennas make locating sondes

Easy to use plumbing locator: 2 omni

run time on a M12[™] 2.0Ah battery

For easy transportation

FEATURES:

Easily interchangeable between reels with one push on the button

and tracing energised lines easy without any ghost signals First locator on the market on a 12V battery with 13 hours

PAGE 8

0-



8" DAYLIGHT READABLE SCREEN

Provides a crisp clear screen even when viewing outside

WATER & IMPACT **RESISTANT DISPLAY**

Protects against harsh environments

BACKLIT BUTTONS Provides better visibility

in low lit areas

M12 ICAV3-201C ART.# 4933451367

M12 DIGITAL INSPECTION CAMERA

FEATURES:

- Screen can be removed from console and works within 10 m
- 12 mm 320 x 240 digital image sensor
- 4 surround LED lights






DRAIN CLEANING









WITH POWER FEED (SIZES - 8 OR 10 MM)

FEATURES:

First hand held drain cleaner on a 18V battery with automatic feed and retract that can be used with 6 mm, 8 mm and 10 mm spirals from both MILWAUKEE® and other manufacturers, in pipes from 32 mm up to 75 mm, up to 15 m down the line.



M72 HANDHELD **DRAIN CLEANERS**

SLIDE ACTION CABLE LOCK Lock and release cable

in one auick movemen

M12 BDC6 & 8-202C ART.# 4933451635 & 4933451633

M12 SUB COMPACT DRAIN CLEANER (SIZES - 6 OR 8 MM)

FEATURES:

- Lightest professional drain cleaner on the market
- Robust drum shield protects user & fixtures from spinning drum during use
- Easy removable inner drum helps to prevent spiral bind up and contains dirt inside the drum

PAGE 11



#MILWAUKEETOOL O MILWAUKEETOOL.EU



M18 FFSDC10 & 13 & 16-502 ART.# 4933459707 & 4933459708 & 4933459710 (Also available as 0-versions)

M18 FUEL FREE STANDING DRAIN CLEANER (SIZES - 10, 13 OR 16 MM)

FEATURES:

- World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety
- The M18TM SWITCH PACKTM incorporates fully enclosed drums to eliminate free spinning parts, providing the user with more protection whilst working in and around fragile fixtures as well as better mess containment whilst unclogging drains

M18 FSSM-121 | ART.# 4933471410 (Also available as a 0-version ART.# 4933471411)

M18 FUEL SECTIONAL SEWER MACHINE

FEATURES:

- First 18V sectional sewer machine with automatic feed and retract
- CABLE-DRIVE locking feed system maintains selected feed speed, and auto-adjusts to compatible cable sizes. 22 mm and 32 mm, for the best cable grip when feeding and working the clog



M18 FCSSM-121 ART.# 4933478407 (Also available as a 0-version ART.# 4933478408)

MBFUEL COMPACT SECTIONAL SEWER MACHINE

FEATURES:

- First 18V sectional sewer machine with automatic feed and retract
- Extremely light weight, 14 kg including M18[™] 12.0 Ah battery.
- Can be used in pipes from 32 mm up to 160 mm, maximum 46 m down the line





SCAN THE QR CODE AND EXPLORE THE ENTIRE RANGE OF ACCESSORIES FOR DRAIN CLEANING

M12 FPXP-I06202C ART.# 4933472021 (Also available as a 0-version ART.# 4933472018)

M12 FUEL UPONOR[™] Q&E PIPE EXPANDING TOOL



FEATURES:

- Auto-rotating head 9.9 mm to 32 mm (6 bar) and to 25 mm (10 bar) provides accurate, one-handed expansion
- Quick cam mechanism single pull, continuous action installs Q&E up to 7 seconds faster
- RAPID SEAL[™] heads improve time to seal by 20% or more (depending on the ambient temperatures)
- Right angle design for easy installation of Q&E fittings in confined spaces

ALSO AVAILABLE IN THE M12 RANGE:



M18 FPXP-H10502C | ART.# 4933479437 (Also available as a 0-version ART.# 4933479436)

M18 FUEL UPONOR™ Q&E EXPANSION TOOL

FEATURES:

- Auto-rotating heads from 9.9 mm to 50 mm provide the most accurate, one-handed expansions
- Compatible with all existing M12[™] and M18[™] expansion heads up to 50 mm
- Two speed settings: one for up to
- 32 mm and one for 40 mm and above
- On board LED light for illumination in low lit working conditions





C12 PXP-N202C | ART.# **4933441740** M12 SUB COMPACT UPONOR[™] Q&E **EXPANSION TOOL**

INCLUDES: Connections 15 / 18 / 22 mm









BASIN WRENCHES







COMFORTABLE HANDLE adds working







#MILWAUKEETOOL O MILWAUKEETOOL.EU

CONSTANT SWING

4 CHROME ROLLERS for added durability and extended performance

> **TOOL FREE** BLADE

CHANGE

for faser and easie blade change 28 mm 48229259 tter 42 mm 48229252

COPPER TUBING

CUTTERS

▋▁₹▲₹▖

ART.# **48220212**

PVC SAW

TOOL FREE BLADE CHANGE for faser and eas

METAL CORE, IMPACT RESISTANT BODY

for maximum durability

ESSENTIALS







CHECK OUT OUR RANGE OF HAND TOOLS, STORAGE, LIGHTING, PPE, WORKWEAR AND HEATED GEAR.







Visit It.milwaukeetool.eu to find out more



D

@milwaukeetooleu



Milwaukee Tool EU













